

SAFE Credit Union Convention Center



Visit
SACR★MENTO

240,000
SQUARE FEET
Programmable
SPACE

160,000 SQUARE
FEET
**EXHIBIT
SPACE**

40,000 SQUARE
FEET
NEW
FLEXIBLE SPACE
BALLROOM

79,100 sq. ft. meeting room space

37 breakout rooms

New east & west meeting space

Easy access into facility via North,
West or East lobbies

New 15,000 sq. ft. Plaza

New kitchen & full service Starbucks



SAFE
CREDIT UNION

CONVENTION
CENTER


**BIGGER
BETTER
BOLDER
SACRAMENTO**

2,000
WALKABLE
HOTEL ROOMS

170+
DAILY NON-STOP
FLIGHTS

300+
NEARBY
RESTAURANTS





LEVEL 1: EXHIBIT HALLS

Any seating layout cannot exceed occupant load factor of 15 sq.ft. per person


	Total sq.ft.	Dimensions (approx.)	Ceiling Height	Exhibit Booths (10x10)	Theater Seating (Maximum)	Classroom 4 per 18" table	Dining 8 per 60" table	Dining 10 per 72" table
Exhibit Hall A	37,800	250'x150'	30'	217	2,517	2,100	1,896	1,660
Exhibit Hall B	34,200	250'x138'	30'	189	2,270	1,984	1,768	1,320
Exhibit Hall C	33,000	250'x132'	30'	172	2,192	2,024	1,904	1,580
Exhibit Hall D	55,000	250'x220'	30'	304	3,657	3,432	3,104	2,660
A-B Combined	72,000	250'x288'	30'	406	4,787	3,700	3,824	3,380
A-C Combined	105,000	—	30'	578	6,979	5,500	5,728	4,930
A-D Combined	160,000	—	30'	901	10,636	8,936	8,832	7,560
B-D Combined	122,500	—	30'	665	8,119	7,800	7,288	5,710
C-D Combined	88,000	250'x352'	30'	495	5,849	5,840	5,536	4,600

Total sq.ft.

LOBBIES

North Lobby (L1)	7,500
West Lobby (L1)	9,300
East Lobby (L1)	4,200






LEVEL 2: WEST

Ballroom A + Meeting Rooms 1-4

Any seating layout cannot exceed occupant load factor of 10 sq.ft. per person

	Total sq.ft. (approx.)	Dimensions (approx.)	Ceiling Height	Hollow Square	Theater Seating	Classroom 4 per 18" table	Dining 60" rounds 8 per table	Dining 72" rounds 10 per table	Reception
BALLROOM A									
A1	18,960	120'x158'	25'	—	1,550	1,020	1,032	910	1,912
A2	1,612	31'x52'	25'	56	124	92	64	80	159
A3	1,612	31'x52'	25'	56	124	92	64	80	162
A4	1,612	31'x52'	25'	56	124	92	64	80	162
A5	1,456	28'x52'	25'	48	110	92	64	70	145
A6	1,508	29'x52'	25'	48	110	92	64	70	149
A7	1,736	31'x56'	25'	56	140	104	88	80	172
A8	1,736	31'x56'	25'	56	140	104	88	80	175
A9	1,736	31'x56'	25'	56	140	104	88	80	175
A10	1,568	28'x56'	25'	48	125	100	72	70	156
A11	1,624	29'x56'	25'	48	125	100	72	70	161
A1-6 Combined	27,189	164'x158'	25'	—	2,016	1,500	1,440	1,430	2,710
A2-11 Combined	20,224	128'x158'	25'	—	1,792	1,056	1,128	1,100	2,077
A1-11 Combined	38,868	246'x158'	25'	—	3,410	2,460	2,280	2,290	3,923
Green Room G1	155	12'6"x12'5"							
Green Room G2	125	12'6"x10'							
MEETING ROOMS 1-4									
Meeting Room 1	2,300	46'x50'	15'8"	64	163	116	104	100	230
Meeting Room 2	1,665	37'x45'	15'8"	48	109	76	72	70	168
Meeting Room 3	1,665	37'x45'	15'8"	48	109	76	72	70	168
Meeting Room 4	1,530	34'x45'	15'8"	40	103	72	64	60	153
1-2 Combined	3,965	50'x83'	15'8"	—	286	192	200	170	397
1-3 Combined	5,630	50'x120'	15'8"	—	392	280	248	220	563
1-4 Combined	7,160	50'x153'	15'8"	—	504	360	336	260	716
2-4 Combined	4,860	45'x106'	15'8"	—	336	256	240	210	486
3-4 Combined	3,195	45'x70'	15'8"	—	210	160	144	120	319
Total sq.ft.									
LOBBIES									
Ballroom A Pre-Function	12,000								



LEVEL 2: EAST

Ballroom B + Meeting Rooms 5-16

Any seating layout cannot exceed occupant load factor of 10 sq.ft. per person

	Total sq.ft. (approx.)	Dimensions (approx.)	Ceiling Height	Hollow Square	Theater Seating	Classroom 4 per 18" table	Dining 60" rounds 8 per table	Dining 72" rounds 10 per table	Reception
BALLROOM B									
B1	2,838	43'x66'	25'	80	247	176	120	104	293
B2	2,838	43'x66'	25'	80	247	176	120	104	293
B3	2,970	45'x66'	25'	80	260	176	120	104	300
B4	2,970	45'x66'	25'	80	260	176	120	104	300
B5	2,970	45'x66'	25'	80	260	176	120	104	300
B6	2,970	45'x66'	25'	80	260	176	120	104	300
B7	1,254	38'x33'	25'	40	96	60	64	60	126
B8	1,254	38'x33'	25'	40	96	60	64	60	127
B9	1,254	38'x33'	25'	40	96	60	64	60	126
B10	1,254	38'x33'	25'	40	96	60	64	60	128
B1-10 Combined	24,282	171'x142'	25'	—	2,046	1,512	1,352	1,380	2,438
MEETING ROOMS 5-16									
Meeting Room 5	957	29'x33'	11'	32	84	40	48	50	96
Meeting Room 6	660	20'x33'	11'	32	49	20	24	20	70
Meeting Room 7	660	20'x33'	11'	32	49	20	24	20	70
Meeting Room 8	990	30'x33'	11'	32	84	40	48	50	99
6-7 Combined	1,320	40'x33'	11'	64	98	72	48	40	140
Meeting Room 9	1,888	32'x59'	15'8"	56	154	108	104	90	160
Meeting Room 10	2,006	34'x59'	15'8"	56	154	108	104	100	200
Meeting Room 11	1,947	33'x59'	15'8"	56	154	108	104	100	180
9-10 Combined	3,894	66'x59'	15'8"	—	308	216	176	200	360
10-11 Combined	3,953	67'x59'	15'8"	—	308	216	184	210	380
9-11 Combined	5,841	100'x59'	15'8"	—	462	324	256	280	540
Meeting Room 12	900	25'x36'	11'	32	70	48	48	50	93
Meeting Room 13	864	24'x36'	11'	32	70	48	48	50	88
Meeting Room 14	684	19'x36'	11'	32	49	20	24	30	75
Meeting Room 15	684	19'x36'	11'	32	49	20	24	30	75
Meeting Room 16	1,044	29'x36'	11'	32	84	48	48	50	103
Combined 12-13	1,764	36'x50'	11'	56	140	96	96	100	181
Combined 14-15	1,368	36'x39'	11'	40	98	72	64	60	150
Total sq.ft.									

LOBBIES

Ballroom B Pre-Function 9,000
Meeting Rooms 9-11 Pre-Function 7,900

Utilities: Exhibit Halls

EXHIBIT HALLS A & B

Floor Utility Services:

- > Electrical Power at 30 ft. centers:
 - 1 - 100 amp receptacle
 - 1 - 30 amp twist lock receptacle
 - 1 - 30 amp 3-pole circuit breaker
 - 2 - 20 amp duplex receptacles
 - 2 - 20 amp 1-pole circuit breaker
- > Plumbing at 30 ft. centers:
 - 1 - 3" plumbing drain
 - 1 - 2" aux drain
- > Plumbing at 60 ft. centers:
 - 1 - Water supply
 - 1 - Compressed air
- > Audio Visual connectivity at 60 ft. centers
- > Technology fiber and data outlets at 30 ft. centers
- > 6" bailout at 30 ft. centers

Wall Utility Services:

- > Electrical Power:
 - 1 - 30 amp twist lock receptacle
 - 2 - 20 amp receptacles
 - 100 amp pin & sleeve receptacle (2 locations in Hall A)
- > Production Power – 208V, 3PH, 200 Amp & 400 Amp Company Switches (1 location each Hall)
- > Data Outlets
- > Audio Visual connectivity

Ceiling Utility Services:

- > Electrical Power:
 - 1 - 100 amp / 208 V / 3 Phase receptacle
 - 1 - 100 amp / 480 V / 3 Phase receptacle

EXHIBIT HALLS C & D

Floor Utility Services:

- > Electrical Power at 30 ft. centers:
 - 100 Amps total per floor box
 - 1 – 100 amp, 3-pole, single throw circuit breaker
 - 1 – 100 amp, 3 phase receptacle
 - 1 – 30 amp, 3-pole, single throw circuit breaker
 - 1 – 30 amp, 3 phase receptacle
 - 1 – 20 amp, 3-pole, single throw circuit breaker
 - 1 – 20 amp, 3 phase receptacle
 - 1 – 20 amp, single pole, single throw GFI circuit breaker
 - 1 – 20 amp, duplex outlet
- > AV connections 60 ft. centers alternating floor boxes each row
- > Plumbing at 30 ft. centers:
 - 1 – 2" aux. plumbing drain
- > Plumbing at 60 ft. centers alternating floor boxes each row:
 - Non-potable water connection
 - Compressed air connection
 - 1 – 3" plumbing drain
- > Telephone and data on 30 ft. centers

Wall Utility Services:

- > 60 amp 3 phase outlet
- > 30 amp 3 phase outlet
- > 20 amp duplex outlet

Ceiling Utility Services:

- > Electrical Power at 90 ft. centers:

HALL C

- 3 – 100 amp, 3 phase, 110/208 volt outlets
- 6 – 100 amp, 3phase, 220/480 volt outlets

HALL D

- 16 – 100 amp, 3 phase, 110/208 volt outlets
- 6 – 100 amp, 3phase, 220/480 volt outlets

Production Power:

Can be used in Hall C or D. But not both at the same time

- 1 – 400 amp, 3 phase, female camlock
- 2 – 200 amp, 3 phase, female camlock
- 1 – 100 amp, 3 phase, female camlock

Utilities: Ballrooms

BALLROOM A

Floor Utility Services:

- > Electrical Power:
 - 1 - 30 amp twist lock receptacle (NEMA L21-30)
 - 2 - 20 amp receptacles (NEMA L21-30)
- > Technology fiber and data outlets
- > Audio Visual connectivity
- > Bailout Access

Wall Utility Services:

- > Electrical Power:
 - 1 - 30 amp receptacle (NEMA L21-30)
 - 2 - 20 amp receptacles (NEMA L21-30)
- > Data Outlets
- > Audio Visual connectivity
- > Production Power – 208V, 3PH, 200 Amp & 400 Amp Company Switches (2 Locations)

BALLROOM B

Floor Utility Services:

- > Electrical Power:
 - 20-30 amp 120/208v (NEMA L21-30)

Wall Utility Services:

- > Electrical Power:
 - 8- 100 amp 120/208v 3 ph (Crouse-Hinds RPC-100)
 - 9- 60 amp 120/208v 3 ph (Hubbell Power-Lock 60 amp)
 - 18- 20 amp 120v Duplex outlets (NEMA 5-20)
- > Data Outlets
- > Audio Visual connectivity



MAIN BOX OFFICE

TEL 916.808.5181

SALES & BOOKING INFORMATION

TEL 916.808.5291

VISITOR INFORMATION

TEL 916.808.7777 • visitsacramento.com

CENTERPLATE *Exclusive Food & Beverage Provider*

TEL 916.446.1215

PSAV *Preferred AV/Exclusive Rigging*

TEL 530.748.8015


SMART CITY NETWORKS *Exclusive Telecommunications*

TEL 775.399.0121

ON-SITE FOOD AND BEVERAGE



STARBUCKS COFFEE



SAFE
CREDIT UNION

**CONVENTION
CENTER**