

SACRAMENTO CONVENTION CENTER




Visit
SACR★MENTO

SACRAMENTO CONVENTION CENTER

MEMORIAL AUDITORIUM

15th Street
(one way) →

Marriott
Residence Inn



Bus Drop off

J Street
(one way) ←

K Street
(one way) →

14th Street
(one way) ←

13th Street

Sheraton
Grand

K Street Mall

Hyatt
Regency

- Elevator
 - Service Elevator
 - Freight Elevator
 - Door
 - Escalator
 - Stairway
 - Restrooms
 - Airwall
 - Adjustable dock plates
- Loading Bays 68' long with 14' max height

15,000 sq.ft.
OUTDOOR ACTIVITY PLAZA

COMMUNITY CENTER THEATER



SACRAMENTO CONVENTION CENTER

LEVEL 1: EXHIBIT HALLS

Any seating layout cannot exceed occupant load factor of 15 sq.ft. per person

	Total sq.ft.	Dimensions (approx.)	Ceiling Height	Exhibit Booths (10x10)	Theater Seating (Maximum)	Classroom 4 per 30" table	Classroom 4 per 18" table	Dining 8 per 60" table	Dining 10 per 72" table
Exhibit Hall A	37,745	250'x150'	30'	217	2,517	1,848	2,100	1,896	1,660
Exhibit Hall B	34,050	250'x138'	30'	189	2,270	1,752	1,984	1,768	1,360
Exhibit Hall C	32,871	250'x132'	30'	172	2,192	1,748	1,996	1,720	1,370
Exhibit Hall D	54,843	250'x220'	30'	304	3,657	2,936	3,308	3,088	2,660
A-B Combined	71,795	250'x288'	30'	406	4,787	3,140	3,768	3,824	3,380
A-C Combined	104,666	—	30'	597	6,979	4,796	5,656	5,728	4,930
A-D Combined	159,509	—	30'	901	10,636	7,592	8,936	8,832	7,540
B-D Combined	121,764	—	30'	684	8,119	6,216	7,396	7,072	5,710
C-D Combined	87,714	352'x250'	30'	476	5,849	4,464	5,236	5,032	4,350

Total sq.ft.

LOBBIES

North Lobby (L1)	7,500
West Lobby (L1)	9,300
East Lobby (L1)	4,200


BIGGER

BETTER

BOLDER

SACRAMENTO

SACRAMENTO CONVENTION CENTER



SACRAMENTO CONVENTION CENTER

LEVEL 2: WEST

Ballroom A + Meeting Rooms 1-4

Any seating layout cannot exceed occupant load factor of 10 sq.ft. per person

	Total sq.ft. (approx.)	Dimensions (approx.)	Ceiling Height	Hollow Square	Theater Seating	Classroom 4 per 18" table	Dining 60" rounds 8 per table	Dining 72" rounds 10 per table	Reception
BALLROOM A									
A1	19,116	120'x158'	25'	—	1,820	968	1,144	950	1,895
A2	1,598	31'x52'	25'	48	143	84	88	80	159
A3	1,624	31'x52'	25'	48	143	84	88	60	162
A4	1,624	31'x52'	25'	48	143	84	88	60	162
A5	1,451	28'x52'	25'	48	132	84	88	60	145
A6	1,495	29'x52'	25'	48	132	84	88	60	149
A7	1,724	31'x56'	25'	56	156	84	88	80	172
A8	1,752	31'x56'	25'	56	156	84	88	60	175
A9	1,752	31'x56'	25'	56	156	84	88	60	175
A10	1,565	28'x56'	25'	56	144	84	88	60	156
A11	1,613	29'x56'	25'	56	144	84	88	60	161
A2-11 Combined	20,774	128'x158'	25'	—	1,960	1,056	1,272	990	2,035
A1-11 Combined	39,224	246'x158'	25'	—	3,850	2,160	2,456	1,980	3,922
Green Room G1	155	12'6"x12'5"							
Green Room G2	125	12'6"x10'							
MEETING ROOMS 1-4									
Meeting Room 1	2,567	46'x50'	15'8"	64	218	108	120	100	256
Meeting Room 2	1,677	37'x45'	15'8"	56	150	72	96	70	167
Meeting Room 3	1,681	37'x45'	15'8"	56	150	72	96	70	168
Meeting Room 4	1,551	34'x45'	15'8"	48	127	72	80	60	150
1-2 Combined	4,274	50'x83'	15'8"	—	409	192	240	190	420
1-3 Combined	6,023	50'x120'	15'8"	—	600	304	352	270	602
1-4 Combined	7,615	50'x153'	15'8"	—	740	368	440	360	752
2-4 Combined	5,052	45'x106'	15'8"	—	500	252	304	220	506
3-4 Combined	3,300	45'x70'	15'8"	—	304	160	192	140	311


Total sq.ft.

LOBBIES

Ballroom A Prefunction	12,000
Ballroom B Prefunction	9,000



SACRAMENTO CONVENTION CENTER



SACRAMENTO CONVENTION CENTER

LEVEL 2: EAST

Ballroom B + Meeting Rooms 5-12

Any seating layout cannot exceed occupant load factor of 10 sq.ft. per person

	Total sq.ft. (approx.)	Dimensions (approx.)	Ceiling Height	Hollow Square	Theater Seating	Classroom 4 per 18" table	Dining 60" rounds 8 per table	Dining 72" rounds 10 per table	Reception
BALLROOM B									
B1	2,932	43'x66'	25'	72	280	176	160	120	277
B2	2,939	43'x67'	25'	72	277	176	160	120	277
B3	3,000	45'x66'	25'	80	280	176	160	120	290
B4	3,007	44'x67'	25'	80	280	176	160	120	290
B5	3,000	45'x66'	25'	80	280	176	160	120	290
B6	3,007	44'x67'	25'	80	280	176	160	120	290
B7	1,269	38'x33'	25'	48	96	60	72	60	125
B8	1,279	38'x33'	25'	48	127	60	48	60	118
B9	1,269	38'x33'	25'	48	126	60	72	60	118
B10	1,282	38'x33'	25'	48	96	60	72	60	125
B1-10 Combined	24,385	171'x142'	25'	—	2,438	1,536	1,560	1,440	2,428
MEETING ROOMS 5-16									
Meeting Room 5	963	29'x33'	11'	32	84	40	48	50	89
Meeting Room 6	701	20'x33'	11'	32	49	20	24	20	60
Meeting Room 7	701	20'x33'	11'	32	49	20	24	20	57
Meeting Room 8	995	30'x33'	11'	32	91	40	72	50	92
6-7 Combined	1,402	40'x33'	11'	64	140	64	64	60	142
Meeting Room 9	1,979	32'x59'	15'8"	56	182	88	104	110	193
Meeting Room 10	2,003	34'x59'	15'8"	64	196	96	104	110	200
Meeting Room 11	2,101	33'x59'	15'8"	64	196	96	104	110	210
9-10 Combined	3,829	59'x66'	15'8"	—	377	184	208	220	382
10-11 Combined	4,108	59'x67'	15'8"	—	408	224	208	200	411
9-11 Combined	5,930	59'x100'	15'8"	—	585	308	312	330	594
Meeting Room 12	937	25'x36'	11'	36	70	40	48	50	87
Meeting Room 13	884	24'x36'	11'	36	70	40	48	50	87
Meeting Room 14	750	19'x36'	11'	32	49	20	24	20	66
Meeting Room 15	750	19'x36'	11'	32	49	20	24	20	66
Meeting Room 16	1,037	29'x36'	11'	36	91	40	48	50	101
Combined 12-13	1,800	36'x50'	11'	72	168	80	96	80	174
Combined 14-15	1,404	36'x39'	11'	64	140	40	48	60	132

Total sq.ft.

LOBBIES

Ballroom A Prefunction	12,000
Ballroom B Prefunction	9,000

Utilities: Exhibit Halls

EXHIBIT HALLS A & B

Floor Utility Services:

- > Electrical Power at 30 ft. centers:
 - 1 - 100 amp receptacle
 - 1 - 30 amp twist lock receptacle
 - 1 - 30 amp 3-pole circuit breaker
 - 2 - 20 amp duplex receptacles
 - 2 - 20 amp 1-pole circuit breaker
- > Plumbing at 30 ft. centers:
 - 1 - 3" plumbing drain
 - 1 - 2" aux drain
- > Plumbing at 60 ft. centers:
 - 1 - Water supply
 - 1 - Compressed air
- > Audio Visual connectivity at 60 ft. centers
- > Technology fiber and data outlets at 30 ft. centers
- > 6" bailout at 30 ft. centers

Wall Utility Services:

- > Electrical Power:
 - 1 - 30 amp twist lock receptacle
 - 2 - 20 amp receptacles
 - 100 amp pin & sleeve receptacle (2 locations in Hall A)
- > Production Power – 208V, 3PH, 200 Amp & 400 Amp Company Switches (1 location each Hall)
- > Data Outlets
- > Audio Visual connectivity

Ceiling Utility Services:

- > Electrical Power:
 - 1 - 100 amp / 208 V / 3 Phase receptacle
 - 1 - 100 amp / 480 V / 3 Phase receptacle

EXHIBIT HALLS C & D

Floor Utility Services:

- > Electrical Power at 30 ft. centers:
 - 100 Amps total per floor box
 - 1 - 100 amp, 3-pole, single throw circuit breaker
 - 1 - 100 amp, 3 phase receptacle
 - 1 - 30 amp, 3-pole, single throw circuit breaker
 - 1 - 30 amp, 3 phase receptacle
 - 1 - 20 amp, 3-pole, single throw circuit breaker
 - 1 - 20 amp, 3 phase receptacle
 - 1 - 20 amp, single pole, single throw GFI circuit breaker
 - 1 - 20 amp, duplex outlet
- > AV connections 60 ft. centers alternating floor boxes each row
- > Plumbing at 30 ft. centers:
 - 1 - 2" aux. plumbing drain
- > Plumbing at 60 ft. centers alternating floor boxes each row:
 - Non-potable water connection
 - Compressed air connection
 - 1 - 3" plumbing drain
- > Telephone and data on 30 ft. centers

Wall Utility Services:

- > 60 amp 3 phase outlet
- > 30 amp 3 phase outlet
- > 20 amp duplex outlet

Ceiling Utility Services:

- > Electrical Power at 90 ft. centers:

HALL C

- 3 - 100 amp, 3 phase, 110/208 volt outlets
- 6 - 100 amp, 3phase, 220/480 volt outlets

HALL D

- 16 - 100 amp, 3 phase, 110/208 volt outlets
- 6 - 100 amp, 3phase, 220/480 volt outlets

Production Power:

Can be used in Hall C or D. But not both at the same time

- 1 - 400 amp, 3 phase, female camlock
- 2 - 200 amp, 3 phase, female camlock
- 1 - 100 amp, 3 phase, female camlock

Utilities: Ballrooms

BALLROOM A

Floor Utility Services:

- > Electrical Power:
 - 1 - 30 amp twist lock receptacle (NEMA L21-30)
 - 2 - 20 amp receptacles (NEMA L21-30)
- > Technology fiber and data outlets
- > Audio Visual connectivity
- > Bailout Access

Wall Utility Services:

- > Electrical Power:
 - 1 - 30 amp receptacle (NEMA L21-30)
 - 2 - 20 amp receptacles (NEMA L21-30)
- > Data Outlets
- > Audio Visual connectivity
- > Production Power – 208V, 3PH, 200 Amp & 400 Amp Company Switches (2 Locations)

BALLROOM B

Floor Utility Services:

- > Electrical Power:
 - 20-30 amp 120/208v (NEMA L21-30)

Wall Utility Services:

- > Electrical Power:
 - 8- 100 amp 120/208v 3 ph (Crouse-Hinds RPC-100)
 - 9- 60 amp 120/208v 3 ph (Hubbell Power-Lock 60 amp)
 - 18- 20 amp 120v Duplex outlets (NEMA 5-20)
- > Data Outlets
- > Audio Visual connectivity

BIGGER
BETTER
BOLDER
SACRAMENTO

SACRAMENTO CONVENTION CENTER

MAIN BOX OFFICE

TEL 916.808.5181 · sacramentoconventioncenter.com

SALES & BOOKING INFORMATION

TEL 916.808.5291 · sacramentoconventioncenter.com

VISITOR INFORMATION

TEL 916.808.7777 · visitsacramento.com

CENTERPLATE *Exclusive Food & Beverage Provider*

TEL 916.446.1215 · sacramentoconventioncenter.com

PSAV *Preferred AV/Exclusive Rigging*

sacramentoconventioncenter.com


SMART CITY NETWORKS *Exclusive Telecommunications*

sacramentoconventioncenter.com

ON-SITE FOOD AND BEVERAGE



STARBUCKS COFFEE



THE SACRAMENTO CONVENTION CENTER COMPLEX:

- CONVENTION CENTER
- MEMORIAL AUDITORIUM
- COMMUNITY CENTER THEATER